

10/19/00
JCS04 U.S. PTO

10-20-00

EK 53821679505

THE ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

DOCKET NUMBER: AUS920000620US1
DATE: October 19, 2000

JCS04 U.S. PTO
09/692342
10/19/00

Sir:

Transmitted herewith for filing is the Patent Application of:

Inventors: G. M. Nordstrom et al
For: METHOD AND SYSTEM FOR INFORMING AN OPERATING SYSTEM IN A SYSTEM AREA NETWORK
WHEN A NEW DEVICE IS CONNECTED

Enclosed are:

- ☒ Patent Specification and Declaration (3 Declarations)
- ☒ sheets of drawing(s). (Informal) 8
- ☒ An assignment of the invention to International Business Machines Corporation (includes Recordation Form Cover Sheet).
- ☐ A certified copy of a _____ application.
- ☐ Information Disclosure Statement, PTO 1449 and copies of references.

The filing fee has been calculated as shown below:

| For | Number Filed | Number Extra | Rate | Fee |
|--|-----------------|-----------------|--------|----------|
| Basic Fee | | | | \$710.00 |
| Total Claims | 22 - 20 | 2 | x 18 = | \$ 36.00 |
| Indep. Claims | 4- 3 | 1 | x 80 = | \$ 80.00 |
| MULTIPLE DEPENDENT CLAIM PRESENTED x 270 = | | | | \$ 0.00 |
| TOTAL | | | | \$826.00 |

- ☒ Please charge my Deposit Account No. 09-0447 in the amount of \$ 826.00 . A duplicate copy of this sheet is enclosed.
- ☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account 09-0447 . A duplicate copy of this sheet is enclosed.
- ☒ Any additional filing fees required under 37 CFR 1.16.
- ☒ Any patent application processing fees under 37 CFR 1.17.

Respectfully submitted,

By Mark E. McBurney
Mark E. McBurney
Registration No. 33,114
Intellectual Property Law Dept.
IBM Corporation
11400 Burnet Road, Zip 4054
Austin, Texas 78758
Telephone (512) 823-1003

METHOD AND SYSTEM FOR INFORMING AN OPERATING SYSTEM IN A
SYSTEM AREA NETWORK WHEN A NEW DEVICE IS CONNECTED

BACKGROUND OF THE INVENTION

The present invention is related to the subject matter of the following commonly assigned, co-pending United States Patent Applications filed concurrently herewith: Serial No. _____ (Docket No. AUS9-2000-0621) entitled "Efficient Process for Handover Between Subnet Managers"; Serial No. _____ (Docket No. AUS9-2000-0622) entitled "Method and System for Scalably Selecting Unique Transaction Identifiers"; Serial No. _____ (Docket No. AUS9-2000-0623) entitled "Method And System For Reliably Defining and Determining Timeout Values In Unreliable Datagrams"; and Serial No. _____ (Docket No. AUS9-2000-0624) entitled "Method and System For Choosing A Queue Protection Key That is Tamper-proof From An Application". The content of the above-referenced applications is incorporated herein by reference.

1. Technical Field:

The present invention relates in general to computer networks and, in particular, to connecting devices to a computer network. Still more particularly, the present invention relates to a method and system for informing an operating system when a new device is connected to a System Area Network.

2. Description of the Related Art:

Distributed computer networks are known in the art. In a traditional network, individual components of the

network are interconnected via a parallel bus, such as a PCIX bus. The parallel bus has a relatively small number of plug-in ports for connecting the components. The number of plug-in-ports is set (i.e., the number cannot be increased). At maximum loading, a PCIX bus transmits data at about 1 Gbyte/second.

The introduction of high performance adapters (e.g., SCSI adapters), Internet-based networks, and other high performance network components has resulted in increased demand for bandwidth, faster network connections, distributed processing functionality, and scaling with processor performance. These and other demands are quickly outpacing the current parallel bus technology and are making the limitations of parallel buses even more visible. PCIX bus, for example, is not scalable, i.e., the length of the bus and number of slots available at a given frequency cannot be expanded to meet the needs for more components, and the limitation hinders further development of fast, efficient distributed networks, such as system area networks. New switched network topologies and systems are required to keep up with the increasing demands.

The present invention recognizes the need for faster, more efficient computer networks offering the features demanded by the developments of technology. More specifically, the present invention recognizes the need for providing a method or system for informing an operating system (OS) when a (new) device is connected to a scalable, distributed computer network.

SUMMARY OF THE INVENTION

A method and system are provided for dynamically informing an OS of a distributed computer system, when a (new) device is added on the network. The invention is thus applicable to a distributed computing system, such as a system area network, having end nodes, switches, and routers, and links interconnecting these components. The switches and routers interconnect the end nodes and route packets, i.e., sub-components of messages being transmitted, from a source end node to a target end node. The target end node then reassembles the packets into the message.

In a preferred embodiment of the invention, an OS registers with the subnet administrator (SA) to be notified when a new component is added to the subnet and placed in a partition to which the OS has access. The subnet manager (SM) initializes and configures the new component that is added and, through the partition manager, associates the component to one or more partitions of the subnet. The SA then notifies the OSs with access to the partition(s) to which the component is associated and that have a right to access the new component that the new component is available to the OS. Following, the OS updates a database of available components to include the new component and establishes communication with the new component.

In one embodiment, the SM periodically sweeps the network to search for and discover new components. In another embodiment, the new component alerts the SM when the new component is first connected to the network.

[illegible]

BRIEF DESCRIPTION OF THE DRAWINGS

The novel features believed characteristic of the invention are set forth in the appended claims. The invention itself however, as well as a preferred mode of use, further objects and advantages thereof, will best be understood by reference to the following detailed description of an illustrative embodiment when read in conjunction with the accompanying drawings, wherein:

Figure 1 depicts a system area network (SAN) in which the present invention is preferably implemented;

Figure 2 is a diagram of software aspects of an exemplary host processor end node for the SAN of **Figure 1** in accordance with the present invention;

Figure 3 is a diagram of an exemplary host channel adapter of the SAN of **Figure 1** in accordance with the present invention;

Figure 4 is a diagram of the work queue and completion queue process for the queue pairs (QPs) of **Figure 3**;

Figure 5 is a diagram of the software aspects of SAN management model in accordance with the present invention;

Figure 6 is a diagram of the messaging between the subnet manager, OS and a newly added component to effect the preferred embodiment of the present invention.

Figure 7 is a flow chart of the process of notifying an OS when new devices are discovered on the SAN according to a preferred embodiment of the invention; and

5 **Figure 8** is a flow chart of the process of registering an OS to receive information about newly added components according to one preferred embodiment of the invention;

FIG. 7 is a flow chart of the process of notifying an OS when new devices are discovered on the SAN according to a preferred embodiment of the invention; and

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The present invention provides a discovery utility that allows an OS of a distributed computer system, such as a system area network (SAN), to be notified when ever a new component (node or device) is added to the SAN. The invention is also applicable to discovery of previously connected devices that were in the OS database but have been removed from the network for one reason or another. The following description will be understood to refer to both types of devices although specific embodiments are described with reference to a new device. In order to appreciate the environment within which the invention is preferably practiced, a description of a SAN configured with routers, switches, and end nodes, etc. is provided below. Presentation of the environment and particular functional aspects of the environment which enable the invention to be practiced are provided with reference to **Figures 1-5**. Section headings have been provided to distinguish the hardware and software architecture of the SAN. However, those skilled in the art understand that the descriptions of either architecture necessarily includes references to both components.

SAN HARDWARE ARCHITECTURE

With reference now to the figures and in particular with reference to **Figure 1**, there is illustrated an exemplary embodiment of a distributed computer system. Distributed computer system **100** represented in **Figure 1** is provided merely for illustrative purposes, and the

embodiments of the present invention described below can be implemented on computer systems of numerous other types and configurations. For example, computer systems implementing the present invention may range from a small server with one processor and a few input/output (I/O) adapters to very large parallel supercomputer systems with hundreds or thousands of processors and thousands of I/O adapters. Furthermore, the present invention can be implemented in an infrastructure of remote computer systems connected by an Internet or intranet.

As shown in **Figure 1**, distributed computer system **100** includes a system area network (SAN) **113**, which is a high-bandwidth, low-latency network interconnecting nodes within the distributed computer system. More than one (1) SAN **113** may be included in a distributed computer system **100** and each SAN **113** may comprise multiple sub-networks (subnets).

A node is herein defined to be any component that is attached to one or more links of a network. In the illustrated distributed computer system, nodes include host processors **101**, redundant array of independent disks (RAID) subsystem **103**, I/O adapters **105**, switches **109A-109C**, and router **111**. The nodes illustrated in **Figure 1** are for illustrative purposes only, as SAN **113** can connect any number and any type of independent nodes. Any one of the nodes can function as an end node, which is herein defined to be a device that originates or finally consumes messages or frames in the distributed computer system **100**.

SAN **113** is the communications and management infrastructure supporting both I/O and inter-processor communications (IPC) within distributed computer system **100**. Distributed computer system **100**, illustrated in **Figure 1**, includes a switched communications fabric (i.e., links, switches and routers) allowing many devices to concurrently transfer data with high-bandwidth and low latency in a secure, remotely managed environment. End nodes can communicate over multiple ports and utilize multiple paths through SAN **113**. The availability of multiple ports and paths through SAN **113** can be employed for fault tolerance and increased-bandwidth data transfers.

SAN **113** includes switches **109A-109C** and routers **111**. Switch **109A-109C** connects multiple links together and allows routing of packets from one link to another link within SAN **113** using a small header Destination Local Identifier (DLID) field. Router **111** is capable of routing frames from one link in a first subnet to another link in a second subnet using a large header Destination Globally Unique Identifier (DGUID). Router **111** may be coupled via wide area network (WAN) and/or local area network (LAN) connections to other hosts or other routers.

In SAN **113**, host processor nodes **101** and I/O nodes **106** include at least one Channel Adapter (CA) to interface to SAN **113**. Host processor nodes **101** include central processing units (CPUs) **119** and memory **121**. In one embodiment, each CA is an endpoint that implements

the CA interface in sufficient detail to source or sink packets transmitted on SAN **113**. As illustrated, there are two CA types, Host CA (HCA) **117** and Target CA (TCA) **127**. HCA **117** is used by general purpose computing nodes to access SAN **113**. In one implementation, HCA **117** is implemented in hardware. In the hardware implementation of HCA **117**, HCA hardware offloads much of CPU and I/O adapter communication overhead. The hardware implementation of HCA **117** also permits multiple concurrent communications over a switched network without the traditional overhead associated with communicating protocols. Use of HCAs **117** in SAN **113** also provides the I/O and IPC consumers of distributed computer system **100** with zero processor-copy data transfers without involving the operating system kernel process. HCA **117** and other hardware of SAN **113** provide reliable, fault tolerant communications.

The I/O chassis **106** includes I/O adapter backplane and multiple I/O adapter nodes **105** that contain adapter cards. Exemplary adapter cards illustrated in **Figure 1** include SCSI adapter card **123A**, adapter card **123B** to fiber channel hub and FC-AL devices, Ethernet adapter card **123C**, graphics adapter card **123D**, and video adapter card **123E**. Any known type of adapter card can be implemented. The I/O chassis **106** also includes switch **109B** in the I/O adapter backplane to couple adapter cards **123A-123E** to SAN **113**.

RAID subsystem **103** includes a microprocessor **125**, memory **126**, a Target Channel Adapter (TCA) **127**, and

multiple redundant and/or striped storage disks **129**.

In the illustrated SAN **113**, each link **115** is a full duplex channel between any two network elements, such as end nodes, switches **109A-109C**, or routers **111**. Suitable links **115** may include, but are not limited to, copper cables, optical cables, and printed circuit copper traces on backplanes and printed circuit boards. The combination of links **115** and switches **109A-109C**, etc. operate to provide point-to-point communication between nodes of SAN **113**.

SAN SOFTWARE ARCHITECTURE

Software Components

Software and hardware aspects of an exemplary host processor node **101** are generally illustrated in **Figure 2**. Host processor node **101** includes one or more processors that execute a set of consumer processes **201**. Host processor node **101** includes HCA **117** with ports **205**. Each port **205** connects to a link **115** of SAN **113**. Ports **205** can connect to one SAN subnet or multiple SAN subnets. Utilizing message and data services **203**, consumer processes **201** transfer messages to SAN **113** via verbs interface **207**. Verbs interface **207** is generally implemented with an operating-system specific programming interface.

A software model of HCA **117** is illustrated in **Figure 3**. HCA **117** includes a set of queue pairs (QPs) **301**, which transfer messages across ports **205** to the subnet. A single HCA **117** may support thousands of QPs **301**. By

contrast, TCA **127** in an I/O adapter typically supports a much smaller number of QPs **301**. Also illustrated are subnet management administration (SMA) **209**, management packets **211** and a number of virtual lanes **213**, which connect transport layer with ports **205**.

Turning now to **Figure 5**, there is illustrated a software management model for nodes on SAN **113**. SAN architecture management facilities provides a Subnet Manager (SM) **303A**, a Subnet Administration (SA) **303B**, and an infrastructure that supports a number of general management services. The management infrastructure includes a Subnet Management Agent (SMA) **307** operating in each node and defines a general service interface that allows additional general services agents. Also, SAN architecture defines a common management datagram (MAD) message structure for communicating between managers and management agents.

SM **303A** is responsible for initializing, configuring and managing switches, routers, and channel adapters. The SM can be implemented within other devices, such as a channel adapter or a switch. One SM **303A** of SAN is dedicated as a master SM and is responsible for:

- discovering the subnet topology; configuring each channel adapter port with a range of Local Identification (LID) numbers, Global Identification (GID) number, subnet prefix, and Partition Keys (P_Keys); configuring each switch with a LID, the subnet prefix, and with its forwarding database; and maintaining the end node and service databases for the subnet to provide a Global

Unique Identification (GUID) number to LID/GID resolution service as well as a services directory. Thus, management of SAN **113** and SAN components, such as HCAs **117**, TCAs (or end nodes) **127**, switches **109**, and routers **111** are completed utilizing Subnet Management (SM) **303A** and Subnet Administration (SA) **303B**. SMPs are used to discover, initialize, configure, and maintain SAN components through management agents **307** of end nodes **305**. SAN SA packets are used by SAN components to query and update subnet management data. Control of some aspects of the subnet management are provided via a user management console **311** in host-based end node **309**.

MESSAGE TRANSFER PROCESS

SAN **113** provides the high-bandwidth and scalability required for I/O and also supports the extremely low latency and low CPU overhead required for Interprocessor Communications (IPC). User processes can bypass the operating system (OS) kernel process and directly access network communication hardware, such as HCAs **117**, which enable efficient message passing protocols. SAN **113** is suited to current computing models and is a building block for new forms of I/O and computer cluster communication. SAN **113** allows I/O adapter nodes **105** to communicate among themselves or communicate with any or all of the processor nodes **101** in the distributed computer system. With an I/O adapter attached to SAN **113**, the resulting I/O adapter node **105** has substantially the same communication capability as any processor node **101** in the distributed computer system.

For reliable service types of messages, end nodes, such as host processor nodes **101** and I/O adapter nodes **105**, generate request packets and receive acknowledgment packets. Switches **109A-109C** and routers **111** pass packets along from the source to the target (or destination). Except for the variant CRC trailer field, which is updated at each transfer stage in the network, switches **109A-109C** pass the packets along unmodified. Routers **111** update the variant CRC trailer field and modify other fields in the header as the packet is routed.

In SAN **113**, the hardware provides a message passing mechanism that can be used for Input/Output (I/O) devices and Interprocess Communications (IPC) between general computing nodes. Consumers (i.e., processing devices connected to end nodes) access SAN **113** message passing hardware by posting send/receive messages to send/receive work queues (WQ), respectively, on a SAN Channel Adapter (CA).

A message is herein defined to be an application-defined unit of data exchange, which is a primitive unit of communication between cooperating processes. A packet (or frame) is herein defined to be one unit of data encapsulated by networking protocol headers (and trailer). The headers generally provide control and routing information for directing the packet (or frame) through SAN **113**. The trailer generally contains control and cyclic redundancy check (CRC) data for ensuring that frames are not delivered with corrupted content.

Consumers use SAN verbs to access HCA functions.

The software that interprets verbs and directly accesses the CA is known as the Channel Interface (CI) **219**. Send/Receive work queues (WQ) are assigned to a consumer as a Queue Pair (QP). Messages may be sent over five different transport types, Reliable Connected (RC), Reliable Datagram (RD), Unreliable Connected (UC), Unreliable Datagram (UD), and Raw Datagram (RawD). Consumers retrieve the results of these messages from a Completion Queue (CQ) through SAN send and receive work completions (WC). The source CA takes care of segmenting outbound messages and sending them to the destination. The destination or target CA takes care of reassembling inbound messages and placing them in the memory space designated by the destination's consumer. These features are illustrated in the figures below.

Referring now to **Figure 4**, there is illustrated a block diagram of work and completion queue processing. Each QP **301** provides an input to a Send Work Queue (SWQ) **407** and a Receive Work Queue (RWQ) **409**. SWQ **407** sends channel and memory semantic messages, and RWQ **409** receives channel semantic messages. A consumer calls a verb (within verbs interface **207**) to place Work Requests (WRs) into a WQ. A Send WR **403** is a channel semantic operation to push a set of local data segments **417** to the data segments referenced by a remote node's Receive WQE **405**. Each of the Send WR's data segments **417** contains a virtually contiguous memory region. The virtual addresses used to reference the local data segments **417** are in the address context of the process that created the local QP **301**.

As shown in **Figure 4**, WRs **403** that have been placed onto a WQ by consumer process **401** are referred to as work queue elements (WQEs) **405**. WQEs **405** are executed by hardware **415** in HCA **117**. SWQ **407** contains WQEs **405** that describe data to be transmitted on the SAN fabric. RWQ **409** contains WQEs **405** that describe where to place incoming channel semantic data received from SAN **113**.

In one embodiment, Receive Work Queues **409** only support one type of WQE **405**, which is referred to as a receive WQE. The receive WQE provides a channel semantic operation describing a local memory space into which incoming send messages are written. The receive WQE includes a scatter list describing several virtually contiguous memory spaces. An incoming send message is written to these memory spaces. The virtual addresses are in the address contexts of the process that created the local QP **301**.

Verbs interface **207** also provide a mechanism for retrieving completed work from completion queue **411**. Completion queue **411** contains Completion Queue Elements (CQEs) **413** which **413** contain information about previously completed WQEs **405**. Completion queues **413** are employed to create a single point of completion notification for multiple QPs **301**. CQE **413** contains sufficient information to determine the QP **301** and specific WQE **405** that completed. A completion queue context (not shown) is a block of information that contains pointers to, length, and other information needed to manage individual completion queues **411**.

REMOTE OPERATION FUNCTIONALITY

SAN 113, with its interlinked arrangement of components and sub-components, provides a method for completing remote operations, by which processor nodes may directly control processes in I/O nodes. Remote operation also permits the network to manage itself. A remote direct memory access (RDMA) Read WR provides a memory semantic operation to read a virtually contiguous memory space on a remote node. A memory space can either be a portion of a memory region or a portion of a memory window. A memory region references a previously registered set of virtually contiguous memory addresses defined by a virtual address and length. A memory window references a set of virtually contiguous memory addresses which have been bound to a previously registered region.

The RDMA Read WR writes the data to a virtually contiguous local memory space. Similar to Send WR 403, virtual addresses used by the RDMA Read WQE to reference the local data segments are in the address context of the process that created the local QP 301. The remote virtual addresses are in the address context of the process owning the remote QP targeted by the RDMA Read WQE.

RDMA Write WQE provides a memory semantic operation to write a virtually contiguous memory space on a remote node. RDMA Write WQE contains a scatter list of local virtually contiguous memory spaces and the virtual address of the remote memory space into which the data from the local memory spaces is written.

RDMA FetchOp WQE provides a memory semantic operation to perform an atomic operation on a remote

word. RDMA FetchOp WQE is a combined RDMA Read, Modify, and Write operation. RDMA FetchOp WQE can support several read-modify-write operations, such as "Compare and Swap if Equal."

5

A Bind (unbind) remote access key (R_Key) WQE provides a command to the HCA hardware to modify a memory window by associating the memory window to a memory region. A second command to destroy a memory window by disassociating the memory window to a memory region is also provided. The R_Key is part of each RDMA access and is used to validate that the remote process has permitted access to the buffer.

10

15

INFORMING OPERATING SYSTEMS WHEN A NEW DEVICE IS DISCOVERED ON SAN

Figure 6 illustrates an illustrative embodiment of hardware and software components relevant to the device discovery process of the present invention. As illustrated, SM Node **601**, Added Node **605**, and Host Node **603** are interconnected via one or more switches **109**. SM Node **601** comprises SM **607** and SA **609**. Although SA **609** is illustrated as a separate component from SM **607**, in other implementations, SA **609** may be included in SM **607**. Host Node **603** comprises consumer OS **611**.

20

25

30

The preferred embodiment of the present invention provides a dynamic signaling mechanism for informing an OS when a new device (node or component) has been added to SAN **113**. Whenever a new component, such as a storage adapter, is added to a subnet, subnet manager (SM) **607** is

utilized to configure the attributes of the new component. Configuring the component includes associating the new component with partitions within the subnet and making the new component available to one or more OSs on the same subnet. In one embodiment, the associating of the component to partitions is completed by a partition manager (or agent). As utilized herein the term partition refers to the creation of logical barriers between component groups within the subnet. An operation or component in a first partition is isolated from interaction with components or operations in a second partition unless that component or operation in the first partition has specific privilege to access the second partition.

While SAN 113 is operational, SM 607 periodically scans the network for devices that are added after the initial configuration sweeps. SAN 113 is queried and configured by means of SMPs. SM 607, by means of the SMPs, obtains information about the SAN components and sets configuration values in the components to configure SAN 113 to exhibit particular characteristics. Some information utilized to determine the SAN component and network characteristics includes assigned addresses, partitioning information, Service Level (SL) to Virtual Lane (VL) Mapping, VL arbitration table, Light Emitting Diode (LED) state information, and switch routing tables.

On SAN 113, if a new device is added, one or more OSs need to be aware of the device in order to provide support to the device. The present invention provides the mechanism by which the OS is informed about a new device added to SAN 113.

Referring now to **Figure 8**, there is illustrated an illustrative embodiment of a process of registering an OS for notification of new devices on SAN **113**. The subscription process starts at block **803** and proceeds to block **805**, where a consumer (e.g., an OS) that desires to be informed of changes to SAN **113** sends a Management Datagram (MAD) packet to SA **609** requesting to be informed of changes in SAN **113**. Following, in block **807**, SA **609** checks to see if the consumer has privileges to the paths to which the consumer is subscribing. The consumer, for example, may not have access because the paths that are being requested are owned by a partition of SAN **113** to which the consumer does not belong. Thus, in one embodiment, an OS that has signed up for notification is notified by the SA only when the new component is added to the subnet is placed in a partition to which the OS has access.

If a determination is made at block **807** that the consumer does not have access rights (or privileges), a rejection packet is sent back to the consumer at block **811** informing the consumer that the request was rejected. Then, the process terminates at block **815**. If, however, the consumer does have the correct access privileges, the process continues to block **809** where SA **609** places the subscription information in a database utilized to keep track of which consumers want to be informed of network changes. SA **609** then sends a subscription acceptance packet to the consumer at block **813**, and the operation is completed at block **815**.

In another embodiment, the determination of access privileges at block 807 is delayed until a change is detected in the configuration of SAN 113. Once the configuration change is registered by SM 607, the determination of whether or not the consumer has the privileges to be informed of the change is made. If the consumer does not have the required privilege, then the consumer is not informed of the configuration change. This latter embodiment has the advantage of allowing changes in access privileges in between the time the consumer is registered for notification and the time of the configuration change of SAN 113. Consequently, changes in access privileges of the consumer (OS' subscriptions), which occur after the consumer subscribes to be notified but before the component is added are accounted for. When the subscription operation is complete, the consumer is ready to be informed of any changes.

Continuing now to **Figure 7**, there is illustrated an illustrative embodiment of an added node discovery process. The discovery process starts at block 703 and continues to block 705, where a new node is plugged into SAN 113. The new node is detected in block 707 by one of two methods. In the first method, SM 607 discovers the added node during one of its scheduled sweeps of SAN 113. In the second method, the added node supports Trap packets and sends a Trap message to SM 607 when it is first connected. Both methods are described above.

After SM 607 discovers added node 605, SM 607 configures added node 605 in block 709 to set up the

addressing and other information about added node 605 as in the normal SAN configuration process. The setup process includes assigning port attributes (LID, service level, SL, etc.) to the added ports and assigning partition table entries to the partition tables of the subnet.

SM 607 then passes the information about added node to SA 609 at block 711. SA 609 logs the added component 605 in a database of known (or discovered) components at block 713 and then checks at block 715 to see if any consumer is subscribed to be notified that an added node has been discovered. If no consumer is subscribed, then the process completes at block 719; otherwise SA 609 sends a report packet to the subscribed consumer at block 717, providing the subscribed consumer enough information about the added node to enable the consumer to utilize (or communicate with) the added node.

In one embodiment, the check performed in decision block 715 may be replaced by a check to determine which of the consumers, if any, that subscribed to SA 609 have the correct access privileges for the partition in which added node 605 exists. Then, only consumers with the correct access privileges are informed of added node 605.

Referring again to **Figure 6**, an example of messaging (i.e., the flow of messages) among nodes on SAN 113 during operation of the invention is illustrated. Consumer OS 611 in Host node 603 desires to be notified of changes in SAN 113, for example, addition of a

component via Added Node 605, so that the consumer OS 611 may support the component and provide the component with access to SAN resources, accordingly. These changes may also include removals of components or nodes, but the operating scenario described herein focuses on the addition of components.

In the illustrated embodiment, consumer OS 611 issues a SA inform packet 615 on SAN 113. SA inform packet 615 travels via switch 109 and links 115 to SA 609. In one embodiment, when a newly added node 605 is connected to SAN 113, added node 605 has the connection to SAN 113 detected by switch 109, and, if switch 109 supports the sending of a trap on a change to the status of one of the ports, then switch 109 sends a trap packet 613 to master SM 607 of SAN 113. In a next embodiment, when switch 109 does not support Trap packets, added node 605 is detected when master SM 607 completes a sweep of SAN 113. In this later embodiment, master SM 607 sweeps SAN 113 on a periodic basis looking for changes in the configuration of SAN 113. The periodicity of the sweeps is a network parameter that is adjustable by a subnet administrator.

When master SM 607 detects a change, either through a Trap packet or on its own, master SM 607 informs SA 609 of the change. SA 609 then sends a report packet 617 to subscribed consumer OS 611. Thus, consumer OS 611 can perform the necessary setup procedures to thereafter access the added component 605. In the preferred embodiment, the OS updates a database of available

components and establishes communication with the new component.

5 Accordingly, with the present invention, new nodes are dynamically discovered across SAN 113 and configured for use by the a remote consumer (or OS) that is ultimately going to support and/or control the new node. A system administrator can thus connect a new node to any location of SAN 113 and the new node is automatically
10 provided necessary software support.

15 As a final matter, it is important to note that while an illustrative embodiment of the present invention has been, and will continue to be, described in the context of a fully functional data processing system, those skilled in the art will appreciate that the software aspects of an illustrative embodiment of the present invention are capable of being distributed as a
20 program product in a variety of forms, and that an illustrative embodiment of the present invention applies equally regardless of the particular type of signal bearing media used to actually carry out the distribution. Examples of signal bearing media include
25 recordable type media such as floppy disks, hard disk drives, CD ROMs, and transmission type media such as digital and analogue communication links.

30 In the above detailed description of the preferred embodiments, reference is made to the accompanying drawings which form a part hereof, and in which is shown by way of illustration specific embodiments in which the invention may be practiced. It is to be understood that other embodiments may be utilized and structural or

logical changes may be made without departing from the scope of the present invention. The above detailed description, therefore, is not to be taken in a limiting sense, and the scope of the present invention is defined by the appended claims.

5

[illegible]

CLAIMS

What is claimed is:

1 1. A method for configuring a network, said method
2 comprising the steps of:

3
4 dynamically determining when a component is added to
5 a node of said network; and

6
7 in response to said dynamically determining step,
8 configuring said network to provide support for said
9 component.

1 2. The method of Claim 1, further comprising the steps
2 of:

3 registering an OS with an management system of said
4 network to provide a notification when said component is
5 added; and

6 alerting said OS that said component is added during
7 said configuring step.

1 3. The method of Claim 2, wherein said dynamically
2 determining step is completed by said management system
3 and includes the step of monitoring a network via a sweep
4 operation for visible configuration changes.

1 4. The method of Claim 2, wherein said network includes
2 a switch and said dynamically determining step includes
3 the steps of:

4 detecting an addition of said component to a link of

5 said switch; and

6 in response to said detecting step, signaling said
7 management system via a trap message that said component
8 is on said network

1 5. The method of Claim 2 further comprising the steps
2 of associating said component to at least one partition
3 and to an OS within said at least one partition.

1 6. The method of Claim 5, further comprising the steps
2 of:

3 detecting a partition of said network to which said
4 component has been associated; and

5 notifying said OS of said component only when said
6 OS is also associated with said partition.

1 7. The method of Claim 6, further comprising the steps
2 of:

3 updating a component table available to said OS with
4 information about said component; and

5 providing OS support to all components registered in
6 said component table.

1 8. A system for configuring a network, said system
2 comprising:

3 a network manager that dynamically determines when a
4 component is added to a node of said network and
5 configures said network to provide support for said
6 component; and

7 a network administration utility that, and in
8 response to said network manager dynamically determining
9 when a component is added, notifies an OS registered with
10 said network administration utility that said component
11 is added.

1 9. The system of Claim 8, wherein said network manager
2 determines when said component is added by periodically
3 monitoring said network for configuration changes.

1 10. The system of Claim 8, wherein said network manager
2 determines when said component is added by receiving a
3 packet from said component indicated that said component
4 is present on said network.

1 11. The system of Claim 8, further comprising a
2 registration table for registering said OS with said
3 network administration utility for notification of an
4 addition of a component; and

1 12. The system of Claim 11, further comprising:
2 a partitioning mechanism that associates said
3 component with one or more of a plurality of partitions
4 of said network; and

5 wherein said network manager notifies said OS only

6 when said OS is associated with a same one of said one or
7 more partitions.

1 13. The system of Claim 12, further comprising a
2 component registry available to said OS that is updated
3 with information about said component when said component
4 is detected, wherein said OS provides support to all
5 components registered in said component registry to which
6 it has access permission.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
22

1 14. A network comprising:

2 a switch;

3 at least one node linked to said switch for adding
4 components;

5 a network manager that dynamically determines when a
6 component is added to said at least one node of said
7 network and configures said network to provide support
8 for said component;

9 an operating system; and

10 a network administration utility that, and in
11 response to said network manager, dynamically determining
12 when a component is added, notifies an OS registered with
13 said network administration utility that said component
14 is added.

15. The network of Claim 14, further comprising:

1 a partition agent that associates said component to
2 one or more partitions of said network and controls
3 access to said component via a partition monitoring
4 function; and
5

6 wherein said OS is notified of said component only
7 when said OS has an access permission to a same one of
8 said one or more partitions.

1 16. The network of Claim 14, wherein said network is a
2 system area network.

1 17. A computer program product comprising:

2 a computer readable medium; and

3 program instructions on said computer readable
4 medium for:

5 dynamically determining when a component is
6 added to a node of a network; and

7 in response to said dynamically determining
8 step, configuring said network to provide support
9 for said component.

1 18. The computer program product of Claim 17, further
2 comprising program instructions for:

3 registering an OS with an management system of said
4 network to provide a notification when said component is
5 added; and

6 alerting said OS that said component is added during
7 said configuring step.

1 19. The computer program product of Claim 18 further
2 comprising program instructions for associating said
3 component to at least one partition and to an OS within
4 said at least one partition.

1 20. The computer program product of Claim 19, further
2 comprising program instructions for:

3 detecting a partition of said network to which said
4 component has been associated; and

5 notifying said OS of said component only when said
6 OS is also associated with said partition.

1 21. The computer program product of Claim 19, further
2 comprising program instructions for:

3 detecting a partition of said network to which said
4 component has been associated; and

5 notifying said OS only when said OS has access
6 permission for said partition and said component.

1 22. The computer program product of Claim 21, further
2 comprising program instructions for:

3 updating a component table available to said OS with
4 information about said component; and

5 providing OS support to all components registered in
said component table.

ABSTRACT OF THE DISCLOSURE

**METHOD AND SYSTEM FOR INFORMING THE OPERATING SYSTEM IN A
SYSTEM AREA NETWORK WHEN A NEW DEVICE IS CONNECTED**

5

A method and system are provided for dynamically informing an operating system (OS) of a distributed computer system, when a (new) device is added on the network. An OS registers with the subnet administrator (SA) to be notified when a new component is added to the subnet and placed in a partition to which the OS has access. The subnet manager (SM) initializes and configures the new component that is added and, through the partition manager, associates the component to one or more partitions of the subnet. The SA then notifies the OSs with access to the partition(s) to which the component is associated and that have a right to access the new component that the new component is available to the OS. Following, the OS updates a database of available components to include the new component and establishes communication with the new component.

10

15

20

1/8

EKS38216795US

AU39-2000-0620US1

Figure 1:






Figure 2:



1
2
3
4
5
6
7
8
9
10
11

3/8

Figure 3: Channel Adapter



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

4/8

Figure 4: Work and Completion Queue Processing




FIG. 5




Figure 6




Figure 7.





Figure 8



DECLARATION AND POWER OF ATTORNEY FOR
PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD AND SYSTEM FOR INFORMING AN OPERATING SYSTEM IN A SYSTEM
AREA NETWORK WHEN A NEW DEVICE IS CONNECTED

the specification of which (check one)

X is attached hereto.

_____ was filed on _____
as Application Serial No. _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

Priority Claimed

_____ Yes _____ No
(Number) (Country) (Day/Month/Year)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to

the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

| (Application Serial #) | (Filing Date) | (Status) |
|------------------------|---------------|----------|
|------------------------|---------------|----------|

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

John W. Henderson, Jr., Reg. No. 26,907; Thomas E. Tyson, Reg. No. 28,543; Robert M. Carwell, Reg. No. 28,499; Jeffrey S. LaBaw, Reg. No. 31,633; Douglas H. Lefevre, Reg. No. 26,193; Casimer K. Salys, Reg. No. 28,900; David A. Mims, Jr., Reg. No. 32,708; Volel Emile, Reg. No. 39,969; James H. Barksdale, Jr. Reg. No. 24,091; Leslie A. Van Leeuwen, Reg. No. 42,196; Marilyn S. Dawkins, Reg. No. 31,140; Mark E. McBurney, Reg. No. 33,114; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; John E. Hoel, Reg. No. 26,279; Joseph C. Redmond, Jr., Reg. No. 18,753; Andrew J. Dillon, Reg. No. 29,634; Daniel E. Venglarik, Reg. No. 39,409; Jack V. Musgrove, Reg. No. 31,986; Brian F. Russell, Reg. No. 40,796; Matthew W. Baca, Reg. No. 42,277; Antony P. Ng, Reg. No. 43,427; Michael R. Barre, Reg. No. 44,023; Andrew Mitchell Harris, Reg. No. 42,638; Richard McCain, Reg. No. 43,785; Michael E. Noe, Jr., Reg. No. 44,975.

Send correspondence to: Andrew J. Dillon, Esq., FELSMAN, BRADLEY, VADEN, GUNTER & DILLON, LLP, Suite 350 Lakewood on the Park, 7600B North Capital of Texas Highway, Austin, Texas 78731, and direct all telephone calls to Atty. Andrew J. Dillon, (512) 343-6116.

FULL NAME OF SOLE OR FIRST INVENTOR: GREGORY MICHAEL NORDSTROM

INVENTORS SIGNATURE: _____ DATE: _____

RESIDENCE: 1001 Golf Course Road
Pine Island, Minnesota 55963

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 1001 Golf Course Road
Pine Island, Minnesota 55963

FULL NAME OF SECOND INVENTOR: RENATO JOHN RECTO

INVENTORS SIGNATURE:  DATE: 10/16/00

RESIDENCE: 6707 Winnepeg Cove
Austin, Texas 78759

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 6707 Winnepeg Cove
Austin, Texas 78759

FULL NAME OF THIRD INVENTOR: GREGORY FRANCIS PFISTER

INVENTORS SIGNATURE:  DATE: 10/13/00

RESIDENCE: 5905 Sir Ivor Cove
Austin, Texas 78746

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 5905 Sir Ivor Cove
Austin, Texas 78746

FULL NAME OF FOURTH INVENTOR: ORVALLE THEODORE KIRBY

INVENTORS SIGNATURE: _____ DATE: _____

RESIDENCE: 9436 Macon Road
Raleigh, North Carolina 27613

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 9436 Macon Road
Raleigh, North Carolina 27613

FULL NAME OF FIFTH INVENTOR: STEVEN MARK THURBER

INVENTORS SIGNATURE:  DATE: 10/12/2000

RESIDENCE: 8308 Ephraim Road
Austin, Texas 78727

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 8308 Ephraim Road
Austin, Texas 78727

DOCKET NUMBER: AUS920000620US1

DECLARATION AND POWER OF ATTORNEY FOR
PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD AND SYSTEM FOR INFORMING AN OPERATING SYSTEM IN A SYSTEM
AREA NETWORK WHEN A NEW DEVICE IS CONNECTED

the specification of which (check one)

X is attached hereto.

_____ was filed on _____
as Application Serial No. _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

| Prior Foreign Application(s): | Priority Claimed |
|-------------------------------|----------------------------|
| _____ | _____ Yes _____ No |
| (Number) | (Country) (Day/Month/Year) |

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to

DOCKET NUMBER: AUS920000620US1

the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial #) (Filing Date) (Status)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

John W. Henderson, Jr., Reg. No. 26,907; Thomas E. Tyson, Reg. No. 28,543; Robert M. Carwell, Reg. No. 28,499; Jeffrey S. LaBaw, Reg. No. 31,633; Douglas H. Lefevre, Reg. No. 26,193; Casimer K. Salys, Reg. No. 28,900; David A. Mims, Jr., Reg. No. 32,708; Volel Emile, Reg. No. 39,969; James H. Barksdale, Jr. Reg. No. 24,091; Leslie A. Van Leeuwen, Reg. No. 42,196; Marilyn S. Dawkins, Reg. No. 31,140; Mark E. McBurney, Reg. No. 33,114; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; John E. Hoel, Reg. No. 26,279; Joseph C. Redmond, Jr., Reg. No. 18,753; Andrew J. Dillon, Reg. No. 29,634; Daniel E. Venglarik, Reg. No. 39,409; Jack V. Musgrove, Reg. No. 31,986; Brian F. Russell, Reg. No. 40,796; Matthew W. Baca, Reg. No. 42,277; Antony P. Ng, Reg. No. 43,427; Michael R. Barre, Reg. No. 44,023; Andrew Mitchell Harris, Reg. No. 42,638; Richard McCain, Reg. No. 43,785; Michael E. Noe, Jr., Reg. No. 44,975.

Send correspondence to: Andrew J. Dillon, Esq., FELSMAN, BRADLEY, VADEN, GUNTER & DILLON, LLP, Suite 350 Lakewood on the Park, 7600B North Capital of Texas Highway, Austin, Texas 78731, and direct all telephone calls to Atty. Andrew J. Dillon, (512) 343-6116.

FULL NAME OF SOLE OR FIRST INVENTOR: GREGORY MICHAEL NORDSTROM

INVENTORS SIGNATURE: Gregory Michael Nordstrom DATE: October 17, 2000

RESIDENCE: 1001 Golf Course Road
Pine Island, Minnesota 55963

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 1001 Golf Course Road
Pine Island, Minnesota 55963

DOCKET NUMBER: AUS920000620US1

FULL NAME OF SECOND INVENTOR: RENATO JOHN RECIO

INVENTORS SIGNATURE: _____ DATE: _____

RESIDENCE: 6707 Winnepeg Cove
Austin, Texas 78759

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 6707 Winnepeg Cove
Austin, Texas 78759

FULL NAME OF THIRD INVENTOR: GREGORY FRANCIS PFISTER

INVENTORS SIGNATURE: _____ DATE: _____

RESIDENCE: 5905 Sir Ivor Cove
Austin, Texas 78746

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 5905 Sir Ivor Cove
Austin, Texas 78746

FULL NAME OF FOURTH INVENTOR: ORVILLE THEODORE KIRBY

INVENTORS SIGNATURE: _____ DATE: _____

RESIDENCE: 9436 Macon Road
Raleigh, North Carolina 27613

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 9436 Macon Road
Raleigh, North Carolina 27613

FULL NAME OF FIFTH INVENTOR: STEVEN MARK THURBER

INVENTORS SIGNATURE: _____ DATE: _____

RESIDENCE: 8308 Ephraim Road
Austin, Texas 78727

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 8308 Ephraim Road
Austin, Texas 78727

DOCKET NUMBER: AUS920000620US1

DECLARATION AND POWER OF ATTORNEY FOR
PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD AND SYSTEM FOR INFORMING AN OPERATING SYSTEM IN A SYSTEM
AREA NETWORK WHEN A NEW DEVICE IS CONNECTED

the specification of which (check one)

X is attached hereto.

_____ was filed on _____
as Application Serial No. _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s): _____ Priority Claimed

_____ Yes _____ No
(Number) (Country) (Day/Month/Year)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to

DOCKET NUMBER: AUS920000620US1

the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

| (Application Serial #) | (Filing Date) | (Status) |
|------------------------|---------------|----------|
|------------------------|---------------|----------|

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

John W. Henderson, Jr., Reg. No. 26,907; Thomas E. Tyson, Reg. No. 28,543; Robert M. Carwell, Reg. No. 28,499; Jeffrey S. LaBaw, Reg. No. 31,633; Douglas H. Lefevre, Reg. No. 26,193; Casimer K. Salys, Reg. No. 28,900; David A. Mims, Jr., Reg. No. 32,708; Volel Emile, Reg. No. 39,969; James H. Barksdale, Jr. Reg. No. 24,091; Leslie A. Van Leeuwen, Reg. No. 42,196; Marilyn S. Dawkins, Reg. No. 31,140; Mark E. McBurney, Reg. No. 33,114; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; John E. Hoel, Reg. No. 26,279; Joseph C. Redmond, Jr., Reg. No. 18,753; Andrew J. Dillon, Reg. No. 29,634; Daniel E. Venglarik, Reg. No. 39,409; Jack V. Musgrove, Reg. No. 31,986; Brian F. Russell, Reg. No. 40,796; Matthew W. Baca, Reg. No. 42,277; Antony P. Ng, Reg. No. 43,427; Michael R. Barre, Reg. No. 44,023; Andrew Mitchell Harris, Reg. No. 42,638; Richard McCain, Reg. No. 43,785; Michael E. Noe, Jr., Reg. No. 44,975.

Send correspondence to: Andrew J. Dillon, Esq., FELSMAN, BRADLEY, VADEN, GUNTER & DILLON, LLP, Suite 350 Lakewood on the Park, 7600E North Capital of Texas Highway, Austin, Texas 78731, and direct all telephone calls to Atty. Andrew J. Dillon, (512) 343-6116.

FULL NAME OF SOLE OR FIRST INVENTOR: GREGORY MICHAEL NORDSTROM

INVENTORS SIGNATURE: _____ DATE: _____

RESIDENCE: 1001 Golf Course Road
Pine Island, Minnesota 55963

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 1001 Golf Course Road
Pine Island, Minnesota 55963

DOCKET NUMBER: AUS920000620US1

FULL NAME OF SECOND INVENTOR: RENATO JOHN RECIO

INVENTORS SIGNATURE: _____ DATE: _____

RESIDENCE: 6707 Winnepeg Cove
Austin, Texas 78759

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 6707 Winnepeg Cove
Austin, Texas 78759

FULL NAME OF THIRD INVENTOR: GREGORY FRANCIS PFISTER

INVENTORS SIGNATURE: _____ DATE: _____

RESIDENCE: 5905 Sir Ivor Cove
Austin, Texas 78746

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 5905 Sir Ivor Cove
Austin, Texas 78746

FULL NAME OF FOURTH INVENTOR: ORVALLE THEODORE KIRBY

INVENTORS SIGNATURE: Orville Hudson/Gil DATE: October 13, 2020

RESIDENCE: 9436 Macon Road
Raleigh, North Carolina 27613

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 9436 Macon Road
Raleigh, North Carolina 27613

FULL NAME OF FIFTH INVENTOR: STEVEN MARK THURNER

INVENTORS SIGNATURE: _____ DATE: _____

RESIDENCE: 8308 Ephraim Road
Austin, Texas 78727

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 8308 Ephraim Road
Austin, Texas 78727